





VANA FLECAINIDE

Have a Regular Heartbeat



-  Treatment of Severe symptomatic PSVT
-  Treatment of Paroxysmal Atrial Fibrillation / Flutter (PAF)
-  Treatment of Sustained VT

Why is this medication prescribed?




Flecainide is used to prevent or treat irregular heartbeats (arrhythmias) such as paroxysmal supraventricular tachycardia (PSVT) and paroxysmal atrial fibrillation/flutter (PAF). Flecainide is also used to prevent life-threatening sustained ventricular tachycardia (sustained VT) (1).

Flecainide belongs to the group of medicines known as antiarrhythmics (IC).

It works directly on the heart tissue and will slow the nerve impulses in the heart. This helps keep the heart rhythm normal (2).

Mechanism of flecainide:

Inhibition of Na^+ channels which reduces intracellular Ca^{2+} accumulation and reduces oxidative stress and mitochondrial dysfunction (3).



Supplement Facts

Serving Size: 1 Tablet
 Serving Per Container: 30

	Amount Per Serving	%Daily Value
Flecainide Acetate	100 mg	*

*Daily Value not established



021 - 41165000

vanadarougostar

www.vanadarou.com

References:

- Echt, Debra S., and Jeremy N. Ruskin. "Use of flecainide for the treatment of atrial fibrillation." *The American journal of cardiology* 125.7 (2020): 1123-1133.
- Tamargo, Juan, Jean-Yves Le Heuzey, and Philippe Mabo. "Narrow therapeutic index drugs: a clinical pharmacological consideration to flecainide." *European journal of clinical pharmacology* 71 (2015): 549-567.
- Andrikopoulos, George K., Sokratis Pastromas, and Stylianos Tzeis. "Flecainide: Current status and perspectives in arrhythmia management." *World journal of cardiology* 7.2 (2015): 76.